



Modern Styling

Affordable Price

Perfect for today's modern hotel rooms



CTM-A2411
(Matte Black)



CTM-A2411
(Silver/Black)

1-Line Analogue Contemporary Cordless Hotel Telephone



CTM-A241SDU
(CTM-C4101 and C4011/C4011-USB)

1-Line Analogue Contemporary Cordless
Accessory Handset and Charging Stand

KEY FEATURES

- Antibacterial plastic inhibits 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- Built-in speakerphone on both base and cordless handset
- Easy one-step handset registration
- Three non-removable, programmable speed dials on handset



CORDLESS FEATURES

- DECT technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Calls are digitized and encrypted making eavesdropping nearly impossible
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Adjustable RF transmission power prevents interference
- Expandable Cordless System: up to a total of 4 cordless handsets
- Backlit handset dial pad
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- Side handset volume control for easy access
- Hearing-aid compatible



PHONE FEATURES

- Flash, Hold, Mute and Redial
- Redial the last number called with the touch of a button; automatically expires in 15 minutes to protect guest privacy
- Base dial pad
- Compatible with all major PBXs
- Fully customisable faceplate for hotel branding and dialing instructions
- Large, Visual message waiting indicator alerts guests of new messages
- Multi-step volume control (ringer, handset and speakerphone)
- Selectable ring tones
- Up to 10 removable, programmable speed dials on base
- One non-removable, programmable speed dial on base
- Two non-removable, programmable speed dials on handset
- One non-removable, programmable message retrieval speed dial on handset
- Supports VLAN Tagging
- Base unit: Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

SPECIFICATIONS

- Colours: Matte Black, Silver/Black
- Compatible with all major PBXs
- Message Waiting Signal Type: High Voltage, Low Voltage, FSK, Reverse Polarity
- Flash: Programmable timing (100/300/600ms)
- Radio Frequency Baseband: Available in DECT 1.7 GHz, DECT 1.8GHz and DECT 1.9GHz
- CTM-A2411/CTM-A241SDU Power Source: 6V DC External Power
- CTM-A2411-BATT Power Source: 6V DC External Power with Battery Backup
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

CORDS & ACCESSORIES

CTM-A2411

CTM-A241SDU

• Standard Telephone line cord w/RJ11 Connectors (Base)	6 meters	-
• Wall Mount for Base	Included	-
• Handset Charger w/Power Cord	-	Included
• Power Adapter (Handset Charger)	-	Included
• Handset Battery	Included	-



DIMENSIONS

Phone Measurements	CENTIMETERS	WEIGHT
CTM-A241I (Handset on Cradle, Desk Mounted)	20.6cm x 15.5cm x 10.8cm	0.827kg
CTM-A241I (Handset on Cradle, Wall Mounted)	6.9cm x 15.5cm x 21.3cm	0.658kg
CTM-A241SDU (Charger + Handset)	7.1cm x 11.5cm x 21.3cm	0.428kg
CTM-C410I (Handset)	7.1cm x 9.4cm x 21.3cm	0.199kg
C401I (Charging Stand)	7.1cm x 9.6cm x 10.9cm	0.229kg
C401I-USB (Charging Stand with USB Port)	7.1cm x 9.6cm x 10.9cm	0.229kg
Carton Measurements (12 pcs per carton)		
CTM-A241I (Base + Handset)	56cm x 45cm x 23.6cm	14.57kg
CTM-C410I (Handset)	21.6cm x 18.5cm x 23.7cm	3.3kg
C401I (Charging Stand)	41.9cm x 25.8cm x 20cm	4.42kg
C401I-USB (Charging Stand with USB Port)	41.9cm x 25.8cm x 20cm	4.03kg

** Some features may be revised subject to final design of hardware and software platform.
All weights above have included the weights of cords and accessories.*

Reference Sites

- Sheraton Grand Mirage Gold Coast
- Sheraton Fiji Resort
- Grand Hyatt Melbourne